


buroseating

DYNAMIC



Buro Metro II Connect.

# Buro Metro II Connect.

Superior function & comfort.

Quality, comfort and simplicity are some of the enduring features of the Buro Metro II Connect office chair. Ideal for use in either home or heavy-duty commercial environments such as offices, institutions and 'touch down' areas where immediate comfort with minimal adjustment is paramount. This chair is suitable for commercial working applications such as office, warehouse, customer service, architectural, drafting and laboratory technicians.

## Key Features & Benefits.

212-153 Metro II Connect  
212-153-ARCH Metro II Connect Architectural



**MESH BACK**  
Breathable mesh back to help regulate temperature and keep you cool.

**ADJUSTABLE SEAT**  
Height adjustable seat.

**COMFORTABLE SEAT**  
High density polyurethane moulded foam for your comfort.

## Features.


- AFRDI certified gaslift
- Ratchet height adjustable back
- AFRDI certified high density polyurethane moulded foam seat
- AFRDI certified twin wheel 60mm castors
- Depth adjustable back

## Custom Options.

- Polished aluminium base (B15531C)
- Architectural 270mm gaslift (111-6)
- Height & width adjustable arms (180-2)
- Soft PU castors (CE1121P)
- Small seat 480w / 470d (mm) (B74612F)
- 550mm diameter reflective black powder coat adjustable footring (110-4)
- Customer specified fabric (seat only)

## Upholstery.

Elastic III Custom<sup>6</sup>




## Specifications. (mm)

Overall	625w / 635d / 920h
Overall	625w / 635d / 1285h (with optional architectural gas lift)
Back	430w / 460h
Seat	520w / 490d
Seat Height	480-570h
Seat Height	675-935h (with optional architectural gas lift)

## Carton Dimensions.

Width	650
Height	370
Length	680
Weight	14.3 kg




## Quality Assurance and Accreditations.



<sup>1</sup>10 Yr Guarantee: Excludes upholstery. <sup>2</sup>Guaranteed User Weight: 150Kg for Metro II Connect Model. <sup>3</sup>Guaranteed User Weight: 130Kg for Metro II Connect Architectural Model. <sup>4</sup>AFRDI Standard Includes AFRDI Level 6 - Severe Commercial Certified Components. <sup>5</sup>Fabric: Same day dispatch. <sup>6</sup>Fabric: For custom fabric ETA's can be supplied on request. General: Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development, Buro reserves the right to alter product specifications & features without notice.

## Disposal Recycle Charter.

We encourage re-purposing and recycling of pre-loved chairs to reduce our impact on the environment. When a customer has a chair that they wish to dispose of, we apply the following steps to determine the most appropriate method.



We're working with **Trees That Count** to mitigate our CO<sub>2</sub> footprint over the next 50 years, and help protect New Zealand's threatened biodiversity.



**Greening Australia** has been restoring Australia's unique landscapes and protecting biodiversity at scale through collaborative, science-based programs for over 40 years. For more information, visit: [www.greeningaustralia.org.au](http://www.greeningaustralia.org.au).



As a **Sedex member** we are committed to being a responsible business, sourcing responsibly, and improving ethical standards and working conditions within the supply chain.

\*Many of our chairs are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill. For more info, please visit [buroseating.com/environmental](http://buroseating.com/environmental).